



Activating gold catalysts by encapsulation in a self-assembled cage




Anne C. H. Jans, Adrián Gómez-Suárez, Steven P. Nolan, Joost N. H. Reek*
Van 't Hoff Institute for Molecular Sciences, University of Amsterdam, The Netherlands
School of Chemistry, University of St Andrews, United Kingdom
a.c.h.jans@uva.nl; j.n.h.reek@uva.nl


1. Introduction

Enzymes show very high activities and selectivities by using a confined space around the active center. Many natural active sites only display activity (and/or selectivity) when present in the confined space generated by the surrounding protein. These principles can be mimicked by encapsulation of transition metal complexes in a synthetic capsule. In this contribution, a self-assembled hexameric resorcin[4]arene capsule is used to activate gold catalysts by encapsulation, hereby shifting the equilibrium from the inactive dimer to the active monomer.


2. Self-assembled hexameric cage




3. Influence of the cage in catalysis



4. Gold catalyst



5. Activation of the catalyst




- The dimeric complex is too large to be encapsulated
- Monomeric complexes outside the cage react with water to form the inactive dimer
- Confirmed by ¹H NMR

6. Hydration reaction

X ⁻	Reaction time (h)	Without cage		With cage	
		Conversion	A : B : C	Conversion	A : B : C
BF ₄ ⁻	27	12%	100 : 0 : 0	69%	44 : 0 : 56
SbF ₆ ⁻	27	50%	97 : 3 : 0	88%	73 : 7 : 21
OTf ⁻	27	5%	100 : 0 : 0	89%	73 : 8 : 18
NTf ₂ ⁻	27	6%	100 : 0 : 0	65%	71 : 10 : 19

7. Conclusion & Outlook

- It was shown that the cage can activate the dinuclear gold carbene. This leads to a changed product distribution in catalysis.
- This concept will be extended to asymmetric catalysis. A chiral dimeric complex will be used to study the asymmetric hydration of allenes.



References

Ballester *et al.*, *Eur. J. Org. Chem.* **2013**, 1494
Nolan *et al.*, *Chem. Eur. J.* **2010**, *16*, 13729
Reek *et al.*, *J. Am. Chem. Soc.* **2011**, *133*, 2848
Reek *et al.*, *Chem. Soc. Rev.* **2015**, *44*, 433

erc